

**Syngenta Crop Protection, Inc.**  
**Post Office Box 18300**  
**Greensboro, NC 27419**

**In Case of Emergency, Call**  
**1-800-888-8372**

**1. PRODUCT IDENTIFICATION**

Product Name: **HEADWAY** Product No.: A14212C  
 EPA Signal Word: Caution  
 Active Ingredient(%): Azoxystrobin (5.73%) CAS No.: 131860-33-8  
 Chemical Name: Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate  
 Chemical Class: A beta-methoxyacrylate fungicide  
 Active Ingredient(%): Propiconazole (9.54%) CAS No.: 60207-90-1  
 Chemical Name: 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole  
 Chemical Class: Triazole Derivative Fungicide  
 EPA Registration Number(s): 100-1216 **Section(s) Revised: 14**

**2. HAZARDS IDENTIFICATION**
Health and Environmental

Harmful if inhaled. Mist or vapor irritating to eyes and respiratory tract. Vapors may cause drowsiness and dizziness. May be harmful if swallowed and enters airway.

Combustible liquid.

Hazardous Decomposition Products

None known.

Physical Properties

Appearance: Amber liquid

Odor: Ether

Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Tetrahydrofurfuryl Alcohol (THFA)	Not Established	Not Established	0.5 ppm TWA ****	No
Azoxystrobin (5.73%)	Not Established	Not Established	2 mg/m <sup>3</sup> TWA ***	No
Propiconazole (9.54%)	Not Established	Not Established	8 mg/m <sup>3</sup> TWA ***	No

\*\*\* Syngenta Occupational Exposure Limit (OEL)

\*\*\*\* Recommended by AIHA (American Industrial Hygiene Association)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.  
Syngenta Hazard Category: B, S

#### 4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

##### Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

##### Medical Condition Likely to be Aggravated by Exposure

None known.

#### 5. FIRE FIGHTING MEASURES

##### Fire and Explosion

- Flash Point (Test Method): ~172°F
- Flammable Limits (% in Air): Lower: Not Applicable Upper: Not Applicable
- Autoignition Temperature: ~509°F
- Flammability: Combustible liquid

##### Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

##### In Case of Fire

Use appropriate extinguishing media for combustibles in the area. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

#### 6. ACCIDENTAL RELEASE MEASURES

##### In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## 7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

- Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
- Eye Contact: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
- Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride (PVC) or Viton), coveralls, socks and chemical-resistant footwear.
- Inhalation: A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any R, P or HE filter.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Amber liquid
Odor:	Ether
Melting Point:	Not Applicable
Boiling Point:	Not Available
Specific Gravity/Density:	9.09 lbs/gal @ 68°F (20°C)
pH:	6.0 @ 77°F (25°C)

### Solubility in H<sub>2</sub>O

Azoxystrobin :	6 mg/l in water @ 68°F (20°C)
Propiconazole:	0.1 g/l @ 68°F (20°C)

### Vapor Pressure

Azoxystrobin :	8.25 x 10 <sup>(-13)</sup> mmHg @ 68°F (20°C)
Propiconazole:	4.2 x 10 <sup>(-7)</sup> mmHg @ 77°F (25°C)

## 10. STABILITY AND REACTIVITY

Stability:	Stable under normal use and storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.
Hazardous Decomposition Products:	None known.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	Oral (LD50 Rabbit) :	Not Available
Dermal:	Dermal (LD50 Rabbit) :	> 5050 mg/kg body weight
Inhalation:		

Inhalation (LC50 Rat) : > 2.68 mg/l air - 4 hours  
Eye Contact: Moderately Irritating (Rabbit)  
Skin Contact: Non-Irritating (Rabbit)  
Skin Sensitization: Not a Sensitizer (Guinea Pig)

#### Reproductive/Developmental Effects

Azoxystrobin : Shows weak chromosomal damage in mammalian cells at cytotoxic levels. Negative in whole animal assays for chromosomal and DNA damage at high dosages (> or = 2000 mg/kg).  
In rabbits, no effect was observed up to the highest dose level (500 mg/kg/day). In rats, developmental effects were seen only at maternally toxic doses (100 mg/kg/day).  
Propiconazole: None observed.

#### Chronic/Subchronic Toxicity Studies

Azoxystrobin : In a rat 90-day feeding study, liver toxicity was observed at 2000 ppm. This was manifest as gross distension of the bile duct, increased numbers of lining cells and inflammation of the duct. No toxicologically significant effects were seen in repeat dose dog studies.  
Data reviews do not indicate any potential for endocrine disruption.  
There is no evidence of neurotoxicity in any of the studies conducted with azoxystrobin.  
Propiconazole: None observed.

#### Carcinogenicity

Azoxystrobin : No carcinogenic effects observed in rats or mice at doses up to the maximum tolerated dose.  
Propiconazole: Increased incidence of liver tumors at extremely high doses (male mice).

#### Other Toxicity Information

None

#### Toxicity of Other Components

##### Tetrahydrofurfuryl Alcohol (THFA)

May be harmful if swallowed. Causes respiratory tract irritation. Causes skin irritation. May cause digestive tract irritation. Causes severe eye irritation. Inhalation overexposure may cause dizziness, incoordination and unconsciousness. Chronic overexposure may affect the kidney.

#### Target Organs

##### Active Ingredients

Azoxystrobin : Liver

Propiconazole: Liver

##### Inert Ingredients

Tetrahydrofurfuryl Alcohol (THFA): Digestive tract, respiratory tract, skin, eye, CNS, kidney

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity Effects

##### Azoxystrobin :

Fish (Rainbow Trout) 96-hour LC50 470 ppb  
Green Algae 5-day EC50 106 ppb  
Invertebrate (Water Flea) 48-hour EC50 259 ppb  
Bird (Mallard Duck) 14-day LD50 > 250 mg/kg

##### Propiconazole:

Fish (Rainbow Trout) 96-hour LC50 0.83 ppm  
Invertebrate (Water Flea) 48-hour EC50 3.2 ppm  
Green Algae 9-day EC50 0.72 ppm  
Bird (Mallard Duck) 14-day LD50 2510 mg/kg

### Environmental Fate

#### Azoxystrobin :

The information presented here is for the active ingredient, azoxystrobin.  
Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

#### Propiconazole:

The information presented here is for the active ingredient, propiconazole.  
Low bioaccumulation potential. Not persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

## **13. DISPOSAL CONSIDERATIONS**

### Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

## **14. TRANSPORT INFORMATION**

### DOT Classification

Ground Transport - NAFTA  
Not regulated.

### Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin/Propiconazole), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin/Propiconazole)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Note: This product is currently not regulated for airfreight within the NAFTA region. However, effective 01/01/2011 the above classification must be used.

## **15. REGULATORY INFORMATION**

### EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard  
Fire Hazard

Section 313 Toxic Chemicals: Propiconazole (9.54%) (CAS No. 60207-90-1)

### California Proposition 65

Not Applicable

### CERCLA/SARA 302 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

**16. OTHER INFORMATION**

NFPA Hazard Ratings

Health: 2  
Flammability: 2  
Instability: 0

HMIS Hazard Ratings

Health: 2  
Flammability: 2  
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/9/2004

Revision Date: 9/7/2010

Replaces: 2/5/2009

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS